

N classic columns® papers

Make an impression with this signature linear finish. Imparted with an unforgettable texture, CLASSIC COLUMNS® Papers uniquely structured sheet always makes an impact.

Features

Benefits

Watermarked linear finish

A unique finish to enhance every style of message.

Entire offering is FSC® Certified.

Meets the mark of responsible forestry.

Manufactured acid free with archival properties.

Permanence

Laser & Ink Jet Guaranteed.

Writing weights are guaranteed in laser, ink jet, color printer and high speed copier applications.

Matching envelopes starting at simply 1 box.


An impressive range of 33 styles in all writing and text weight colors complete any communication package.

N classic columns® papers

Paper Specifications - CLASSIC COLUMNS® Papers

Finish	Basis lbs.	Basis g/m ²	Opacity	Caliper	Smoothness
Lineal	24W	90	92	5.4	N/A
	80C	216	98	13	N/A
	100C	270	99	16	N/A
	120DTC	324	99	18	N/A

- Opacity specifications are for whites and near whites.
- Caliper values are approximate as grades run to basis weight and finish.
- Smoothness is in Sheffield units.



The Columns pattern runs parallel to the grain direction.

Special Make Minimums

Standard Minimums

COLOR	BASIS WEIGHT (Standard Colors)	SIZE
15,000 lbs.	10,000 lbs.	5,000 lbs.

- * Special colors are subject to inquiry and mill acceptance.
- * Laminated sheets using standard basis weights and colors require 10,000 lbs total minimum with a \$30.00 per cwt upcharge.

classic columns® papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
Solar White (97 Brightness) FSC®							
FSC Mix							
Lineal							
24W / 5.4pt	8.5x11	09004	12	Sheet	500	5,000	32
24W / 5.4pt	35x23	09031	103	Sheet		1,000	18
80C / 13pt	26x40	09022	320	Sheet		300	22
100C / 16pt	26x40	16127	400	Sheet		200	20
120DTC / 18pt	26x40	09068	480	Sheet		200	22

Key FSC® – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



classic columns® envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
Solar White (97 Brightness) FSC®				
FSC Mix				
Lineal				
24W	#10 Commercial	9480200	500	2,500
24W	#10 Square	7004500	500	2,500
24W	#10 peel and seal	7024100	500	2,500
24W	#10 Poly Window	7048000	500	2,500
24W	#10 Commercial Canadian Window	7801700	500	2,500
24W	#10 Policy	7069400	500	2,500
24W	#9 Commercial	4704500	500	2,500
24W	#6 3/4	3656400	500	2,500
24W	DL International	8001126	150	600
24W	Monarch	7300300	500	2,500
24W	A1	7128800	250	2,500
24W	A2	7152000	250	1,000
24W	A6	7175800	250	1,000
24W	A7	7201800	250	1,000
24W	A8	7225800	250	1,000
24W	A9	7254100	250	1,000
24W	A10	7312900	250	1,000
24W	4 Baronial	8001127	250	2,500
24W	5 1/2 Baronial	8001128	250	2,500
24W	6 Baronial	8001131	250	2,500
24W	Lee	8001132	250	2,500
24W	5 x 5	8001134	250	1,000
24W	5 1/2 x 5 1/2	8001133	250	1,000
24W	6 x 6	8001137	250	1,000
24W	6 1/2 x 6 1/2	8001136	250	1,000
24W	7 x 7	8001139	250	1,000
24W	7 1/2 x 7 1/2	8001138	250	1,000
24W	8 x 8	8001142	250	1,000
24W	8 1/2 x 8 1/2	8001141	250	1,000
24W	9 x 12 Booklet	7603600	500	500
24W	9 x 12 Catalog	7629200	500	500
24W	10 x 13 Booklet	7655000	500	500
24W	10 x 13 Catalog	7715000	500	500

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked

