

N classic[®] stipple papers

The pebbled finish offers an authentic feel with a striking tactile effect. Natural yet refined, CLASSIC[®] Stipple Papers leaves a memorable impression.

Features

Benefits

Eye-catching whites and colors.	Beautiful bright whites and refreshing colors to expand your creativity.
Subtle, stipple finish	Consistent side to side unique pebbled finish enhances the printed image with a striking tactile effect.
Entire offering is FSC [®] Certified.	Meets the mark of responsible forestry.
Green Seal [™] Certified • All recycled colors	All recycled colors in CLASSIC Stipple Papers are made with a minimum of 30% post consumer fiber and meet federal procurement guidelines.
Manufactured acid free with archival properties.	Permanence
Digital Platform: whites and colors	Our universal digital finish is compatible with all digital presses. For guarantee & certification details go to neenahpaper.com/digital .
Laser & Ink Jet Guaranteed.	Writing and Text weights are guaranteed in laser, ink jet, color printer and high speed copier applications.
Matching envelopes starting at simply 1 box.	An impressive range of 33 styles in allwriting and text weight colors complete any communication package.

N classic[®] stipple papers

Paper Specifications - CLASSIC[®] Stipple Papers

Finish	Basis lbs.	Basis g/m ²	Opacity	Caliper	Smoothness
Stipple	24W	90	91	4.9	N/A
	80T	118	96	5.8	N/A
	100T	148	97	7.5	N/A
	80C	216	98	10.8	N/A
	100C	270	99	13	N/A
	130DTC	352	99	16	N/A
	165DTC	446	99	21	N/A
Stipple Digital	80T	118	96	5.8	N/A
	100T	148	97	7.5	N/A
	80C	216	98	10.8	N/A
	100C	270	99	13	N/A
	130DTC	352	99	16	N/A

- Opacity specifications are for whites and near whites.
- Caliper values are approximate as grades run to basis weight and finish.
- Smoothness is in Sheffield units.



Special Make Minimums

Standard Minimums

COLOR	BASIS WEIGHT (Standard Colors)	SIZE
15,000 lbs.	10,000 lbs.	5,000 lbs.

- * Special colors are subject to inquiry and mill acceptance.
- * Laminated sheets using standard basis weights and colors require 10,000 lbs total minimum with a \$30.00 per cwt upcharge.









classic[®] stipple papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
Antique Gray FSC[®]							
FSC Mix Stipple							
100C / 13pt	26x40	16230	400	Sheet		200	24
Avalanche White (99+ Brightness) FSC[®]							
FSC Mix Stipple							
80T / 5.8pt	25x38	16234	160	Sheet		500	20
80C / 10.8pt	26x40	16237	320	Sheet		300	24
100C / 13pt	26x40	16239	400	Sheet		200	24
130DTC / 16pt	26x40	16240	520	Sheet		200	20
Avalanche White (99+ Brightness) FSC[®]							
FSC Mix Stipple Digital							
80T / 5.8pt	12x18	16233	36.36	Sheet	250	1,000	32
100C / 13pt	18x12	16238	83.06	Sheet	125	500	32
100C / 13pt	19x13	80970	95	Sheet	250	500	30
Avon Brilliant White (93 Brightness) FSC[®]							
FSC Mix Stipple							
100C / 13pt	26x40	16248	400	Sheet		200	24
Avon Brilliant White (93 Brightness) FSC[®]							
FSC Mix Stipple Digital							
100C / 13pt	18x12	16247	83.06	Sheet	125	500	32
100C / 13pt	19x13	80972	95	Sheet	250	500	30
Bare White FSC[®]							
FSC Mix Stipple							
100C / 13pt	26x40	03705	400	Sheet		200	16
Charcoal  FSC[®] 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Stipple							
100C / 13pt	26x40	03759	400	Sheet		200	16
Classic Natural White FSC[®]							
FSC Mix Stipple							
80T / 5.8pt	25x38	16258	160	Sheet		500	20
80C / 10.8pt	26x40	16261	320	Sheet		300	24
100C / 13pt	26x40	16263	400	Sheet		200	24
130DTC / 16pt	26x40	16264	520	Sheet		200	20

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



classic[®] stipple papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
Classic Natural White FSC [®]							
FSC Mix Stipple Digital							
80T / 5.8pt	12x18	16257	36.36	Sheet	250	1,000	32
100C / 13pt	18x12	16262	83.06	Sheet	125	500	32
100C / 13pt	19x13	80968	95	Sheet	250	500	30
Cobalt fsc [®]							
FSC Mix Stipple							
100C / 13pt	26x40	08501	400	Sheet		200	16
Epic Black  FSC [®] 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Stipple							
80C / 10.8pt	26x40	16266	320	Sheet		200	28
100C / 13pt	26x40	16268	400	Sheet		200	24
130DTC / 16pt	26x40	16269	520	Sheet		200	20
Epic Black  FSC [®] 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Stipple Digital							
100C / 13pt	18x12	16267	83.06	Sheet	125	500	32
Imperial Red fsc [®]							
FSC Mix Stipple							
100C / 13pt	26x40	08535	400	Sheet		200	16
Patriot Blue  FSC [®] 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Stipple							
80C / 10.8pt	26x40	16270	320	Sheet		200	28
100C / 13pt	26x40	16272	400	Sheet		200	24
130DTC / 16pt	26x40	16274	520	Sheet		200	20
Patriot Blue  FSC [®] 							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Stipple Digital							
100C / 13pt	18x12	16271	83.06	Sheet	125	500	32
Pewter fsc [®]							
FSC Mix Stipple							
100C / 13pt	26x40	08570	400	Sheet		200	16
Solar White (97 Brightness) FSC [®]							
FSC Mix Stipple							
24W / 4.9pt	35x23	16292	103	Sheet		1,000	20
80T / 5.8pt	25x38	16294	160	Sheet		500	20
100T / 7.5pt	25x38	16295	200	Sheet		500	20
80C / 10.8pt	26x40	16297	320	Sheet		300	24

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



classic[®] stipple papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
Solar White (97 Brightness) FSC[®]							
FSC Mix Stipple							
100C / 13pt	26x40	16299	400	Sheet		200	24
130DTC / 16pt	26x40	16300	520	Sheet		200	20
165DTC / 21pt	26x40	16301	660	Sheet		200	16
Solar White (97 Brightness) FSC[®]							
FSC Mix Stipple Digital							
80T / 5.8pt	12x18	16293	36.36	Sheet	250	1,000	32
100T / 7.5pt	12x18	09362	45.46	Sheet	250	1,000	32
100T / 7.5pt	13x19	09363	52	Sheet	250	1,000	30
80C / 10.8pt	18x12	16325	66.46	Sheet	250	500	32
80C / 10.8pt	19x13	16326	76	Sheet	250	500	30
100C / 13pt	18x12	16298	83.06	Sheet	125	500	32
100C / 13pt	19x13	80964	95	Sheet	250	500	30
100C / 13pt	20.75x29.5	98698N	235	Sheet		250	26
130DTC / 16pt	18x12	09364	108	Sheet	125	500	32
130DTC / 16pt	19x13	09365	123.5	Sheet	125	500	30

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



classic[®] stipple envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
Avalanche White (99+ Brightness) FSC[®]				
FSC Mix Stipple				
80T	#10 Commercial	0316500	500	2,500
80T	#10 Square	7467800	500	2,500
80T	#10 peel and seal	7497200	500	2,500
80T	#10 Poly Window	7531700	500	2,500
80T	#10 Commercial Canadian Window	8001507	500	2,500
80T	#10 Policy	7567100	500	2,500
80T	#9 Commercial	7436900	500	2,500
80T	#6 3/4	7377700	400	2,000
80T	DL International	8001505	150	600
80T	Monarch	7407300	400	2,000
80T	A1	7094400	250	2,500
80T	A2	0316600	250	1,000
80T	A6	0316700	250	1,000
80T	A7	0316800	250	1,000
80T	A8	0316900	250	1,000
80T	A9	7280000	250	1,000
80T	A10	0317000	250	1,000
80T	4 Baronial	7798700	250	2,500
80T	5 1/2 Baronial	7796700	250	2,500
80T	6 Baronial	7796800	250	2,500
80T	Lee	8001506	250	2,500
80T	5 x 5	8001509	250	1,000
80T	5 1/2 x 5 1/2	8001508	250	1,000
80T	6 x 6	8001511	250	1,000
80T	6 1/2 x 6 1/2	8001510	250	1,000
80T	7 x 7	8001513	250	1,000
80T	7 1/2 x 7 1/2	8001512	250	1,000
80T	8 x 8	8001515	250	1,000
80T	8 1/2 x 8 1/2	8001514	250	1,000
80T	9 x 12 Booklet	0317200	500	500
80T	9 x 12 Catalog	7342900	500	500
80T	10 x 13 Booklet	7656700	500	500
80T	10 x 13 Catalog	7716800	500	500
Classic Natural White FSC[®]				
FSC Mix Stipple				
80T	#10 Commercial	0324100	500	2,500
80T	#10 Square	7469100	500	2,500
80T	#10 peel and seal	7498800	500	2,500
80T	#10 Poly Window	7533300	500	2,500

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



classic[®] stipple envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
Classic Natural White FSC[®]				
FSC Mix Stipple				
80T	#10 Commercial Canadian Window	8002050	500	2,500
80T	#10 Policy	7569500	500	2,500
80T	#9 Commercial	7438700	500	2,500
80T	#6 3/4	7379500	400	2,000
80T	DL International	8002045	150	600
80T	Monarch	7409100	400	2,000
80T	A1	7096000	250	2,500
80T	A2	0324700	250	1,000
80T	A6	0324800	250	1,000
80T	A7	0325200	250	1,000
80T	A8	0325300	250	1,000
80T	A9	7281600	250	1,000
80T	A10	0326200	250	1,000
80T	4 Baronial	8002046	250	2,500
80T	5 1/2 Baronial	8002047	250	2,500
80T	6 Baronial	8002048	250	2,500
80T	Lee	8002049	250	2,500
80T	5 x 5	8002052	250	1,000
80T	5 1/2 x 5 1/2	8002051	250	1,000
80T	6 x 6	7792200	250	1,000
80T	6 1/2 x 6 1/2	8002053	250	1,000
80T	7 x 7	8002055	250	1,000
80T	7 1/2 x 7 1/2	8002054	250	1,000
80T	8 x 8	8002057	250	1,000
80T	8 1/2 x 8 1/2	8002056	250	1,000
80T	9 x 12 Booklet	0326300	500	500
80T	9 x 12 Catalog	7344800	500	500
80T	10 x 13 Booklet	7659900	500	500
80T	10 x 13 Catalog	7719600	500	500
Solar White (97 Brightness) FSC[®]				
FSC Mix Stipple				
24W	#10 Commercial	0326400	500	2,500
24W	#10 Square	0326500	500	2,500
24W	#10 peel and seal	7027400	500	2,500
24W	#10 Poly Window	7050200	500	2,500
24W	#10 Commercial Canadian Window	8002631	500	2,500
24W	#10 Policy	7072600	500	2,500
24W	#9 Commercial	0326600	500	2,500
24W	#6 3/4	0326700	500	2,500
24W	DL International	8002626	150	600

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



classic[®] stipple envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
Solar White (97 Brightness) FSC[®]				
FSC Mix Stipple				
24W	Monarch	0326800	500	2,500
24W	A1	7131900	250	2,500
24W	A2	7155200	250	1,000
24W	A6	7178900	250	1,000
24W	A7	7204900	250	1,000
24W	A8	7228900	250	1,000
24W	A9	7257200	250	1,000
24W	A10	7316400	250	1,000
24W	4 Baronial	8002627	250	2,500
24W	5 1/2 Baronial	8002628	250	2,500
24W	6 Baronial	8002629	250	2,500
24W	Lee	8002630	250	2,500
24W	5 x 5	8002633	250	1,000
24W	5 1/2 x 5 1/2	8002632	250	1,000
24W	6 x 6	8002635	250	1,000
24W	6 1/2 x 6 1/2	8002634	250	1,000
24W	7 x 7	8002637	250	1,000
24W	7 1/2 x 7 1/2	8002636	250	1,000
24W	8 x 8	8002639	250	1,000
24W	8 1/2 x 8 1/2	8002638	250	1,000
24W	9 x 12 Booklet	7606800	500	500
24W	9 x 12 Catalog	7632400	500	500
24W	10 x 13 Booklet	7662400	500	500
24W	10 x 13 Catalog	7722300	500	500
80T	#10 Commercial	0327700	500	2,500
80T	#10 Square	7470700	500	2,500
80T	#10 peel and seal	7500700	500	2,500
80T	#10 Poly Window	7535100	500	2,500
80T	#10 Commercial Canadian Window	8002645	500	2,500
80T	#10 Policy	7571500	500	2,500
80T	#9 Commercial	7441600	500	2,500
80T	#6 3/4	7381300	400	2,000
80T	DL International	8002640	150	600
80T	Monarch	7411500	400	2,000
80T	A1	7098100	250	2,500
80T	A2	0327800	250	1,000
80T	A6	0327900	250	1,000
80T	A7	0328000	250	1,000
80T	A8	0328100	250	1,000
80T	A9	7283400	250	1,000
80T	A10	0328400	250	1,000

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



classic[®] stipple envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
Solar White (97 Brightness) FSC[®]				
FSC Mix Stipple				
80T	4 Baronial	8002641	250	2,500
80T	5 1/2 Baronial	8002642	250	2,500
80T	6 Baronial	8002643	250	2,500
80T	Lee	8002644	250	2,500
80T	5 x 5	7787100	250	1,000
80T	5 1/2 x 5 1/2	8002646	250	1,000
80T	6 x 6	8002647	250	1,000
80T	6 1/2 x 6 1/2	7786300	250	1,000
80T	7 x 7	8002649	250	1,000
80T	7 1/2 x 7 1/2	8002648	250	1,000
80T	8 x 8	8002651	250	1,000
80T	8 1/2 x 8 1/2	8002650	250	1,000
80T	9 x 12 Booklet	0328500	500	500
80T	9 x 12 Catalog	7346700	500	500
80T	10 x 13 Booklet	7663100	500	500
80T	10 x 13 Catalog	7723000	500	500
100T	#10 Commercial	8002652	400	2,000
100T	#10 Square	8002653	400	2,000
100T	#10 peel and seal	8002654	400	2,000
100T	#10 Poly Window	8002655	400	2,000
100T	#10 Commercial Canadian Window	8002676	400	2,000
100T	#10 Policy	8002656	400	2,000
100T	#9 Commercial	8002658	400	2,000
100T	#6 3/4	8002657	300	1,500
100T	DL International	8002659	125	500
100T	Monarch	8002660	300	1,500
100T	A1	8002661	200	2,000
100T	A2	8002662	200	800
100T	A6	8002663	200	800
100T	A7	8002664	200	800
100T	A8	8002665	200	800
100T	A9	8002666	200	800
100T	A10	8002667	200	800
100T	5 x 5	8002678	200	800
100T	5 1/2 x 5 1/2	8002677	200	800
100T	6 x 6	8002680	200	800
100T	6 1/2 x 6 1/2	8002679	200	800
100T	7 x 7	8002682	200	800
100T	7 1/2 x 7 1/2	8002681	200	800
100T	8 x 8	8002684	200	800
100T	8 1/2 x 8 1/2	8002683	200	800

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



classic[®] stipple envelopes

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
Solar White (97 Brightness)FSC[®]				
FSC Mix Stipple				
100T	9 x 12 Booklet	8002672	400	400
100T	9 x 12 Catalog	8002673	400	400
100T	10 x 13 Booklet	8002674	400	400
100T	10 x 13 Catalog	8002675	400	400

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked

