

# N 25% cotton papers

Soft to the touch, luxurious in appearance, Cotton is a premium paper choice. Cotton Papers communicate prestige, elegance, excellence and quality.

## Features

## Benefits

25% cotton fiber Writing options in a variety of colors.	Provides a premium look and feel for your important documents.
Laser & Ink Jet Guaranteed. All recycled colors	Writing and Text weights are guaranteed in laser, ink jet, color printer and high speed copier applications.
ROYAL COTTON® is FSC® Certified.	Meets the mark of responsible forestry.
Green Seal™ Certified • All recycled colors	Made with a minimum of 30% post consumer fiber and meet federal procurement guidelines.
Many finish options: Smooth, Light Cockle, Perfect Laser, Imaging, Wove.	Broad assortment to achieve desired performance and appearance.
Matching envelopes starting at simply 1 box.	An impressive range of 33 styles in writing and text weight colors complete any communication package.
Genuine Watermarks  • ATLAS® Bond • CAPITOL BOND® Papers • CLASSIC COTTON® Papers • ROYAL COTTON® Papers	Well-known brands adding a reflection of quality and additional security to company letterhead.

# N 25% cotton papers

## Paper Specifications - ATLAS® Bond Papers 25% Cotton

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Imaging	24W	90	91	5	220
Light Cockle	20W	75	88	4.7	330
	24W	90	90	5.6	330

## Paper Specifications - CAPITOL BOND® Papers 25% Cotton

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Light Cockle	20W	75	88	4.7	330
	24W	90	91	5.6	330
Perfect Laser	24W	90	91	5	220

## Paper Specifications - CLASSIC COTTON® Papers 25% Cotton

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Wove	24W	90	91	5	240

## Paper Specifications - ROYAL COTTON® Papers 25% Cotton

Finish	Basis lbs.	Basis g/m <sup>2</sup>	Opacity	Caliper	Smoothness
Light Cockle	20W	75	88	4.7	330
	24W	90	91	5.6	330
Smooth	24W	90	91	5	220

- Opacity specifications are for whites and near whites.
- Caliper values are approximate as grades run to basis weight and finish.
- Smoothness is in Sheffield units.





## Special Make Minimums

### Standard Minimums

COLOR	BASIS WEIGHT (Standard Colors)	SIZE
15,000 lbs.	10,000 lbs.	5,000 lbs.

- \* Special colors are subject to inquiry and mill acceptance.
- \* Laminated sheets using standard basis weights and colors require 10,000 lbs total minimum with a \$30.00 per cwt upcharge.





# atlas<sup>®</sup> bond papers 25% cotton

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Ultra Bright White (96 Brightness)</b>  							
25% Cotton, 30% Minimum Post-Consumer Recycled Fibers							
Imaging							
24W / 5pt	8.5x11	<b>01197</b>	12	Sheet	500	5,000	32
24W / 5pt	35x22.5	<b>01198</b>	101	Sheet		1,500	12
<b>Ultra Bright White (96 Brightness)</b>  							
25% Cotton, 30% Minimum Post-Consumer Recycled Fibers							
Light Cockle							
20W / 4.7pt	8.5x11	<b>01188</b>	10	Sheet	500	5,000	32
24W / 5.6pt	8.5x11	<b>01190</b>	12	Sheet	500	5,000	32
24W / 5.6pt	35x22.5	<b>01191</b>	101	Sheet		1,500	12

Key **FSC**<sup>®</sup> – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# capitol bond<sup>®</sup> papers 25% cotton

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Bright White (96 Brightness)</b>  							
25% Cotton, 30% Minimum Post-Consumer Recycled Fibers							
Light Cockle							
20W / 4.7pt	8.5x11	<b>B620</b>	10	Sheet	500	5,000	40
24W / 5.6pt	8.5x11	<b>B622</b>	12	Sheet	500	5,000	32
24W / 5.6pt	35x22.5	<b>B623RC</b>	101	Sheet		1,000	18
<b>Bright White (96 Brightness)</b>  							
25% Cotton, 30% Minimum Post-Consumer Recycled Fibers							
Perfect Laser							
24W / 5pt	8.5x11	<b>B632</b>	12	Sheet	500	5,000	32
24W / 5pt	35x22.5	<b>B633RC</b>	101	Sheet		1,000	20
<b>White (91 Brightness)</b>							
25% Cotton							
Light Cockle							
20W / 4.7pt	8.5x11	<b>B670</b>	10	Sheet	500	5,000	32
20W / 4.7pt	35x22.5	<b>B674</b>	84	Sheet		1,500	14
24W / 5.6pt	8.5x11	<b>B742</b>	12	Sheet	500	5,000	32
24W / 5.6pt	17x11	<b>B743</b>	24	Sheet	500	2,500	24
24W / 5.6pt	17.5"	<b>R040</b>		Roll			
24W / 5.6pt	17.5x22.5	<b>B757RC</b>	51	Sheet		2,000	18
24W / 5.6pt	34x28	<b>B676</b>	122	Sheet		1,000	8
24W / 5.6pt	35x22.5	<b>B641RC</b>	101	Sheet		1,000	18
<b>White (91 Brightness)</b>							
25% Cotton							
Perfect Laser							
24W / 5pt	8.5x11	<b>B724</b>	12	Sheet	500	5,000	32
24W / 5pt	35x22.5	<b>B651RC</b>	101	Sheet		1,000	20

Key **FSC**<sup>®</sup> – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# classic cotton<sup>®</sup> papers 25% cotton

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
<b>Solar White (97 Brightness)</b>							
25% Cotton							
Wove							
24W / 5pt	8.5x11	<b>09401</b>	12	Sheet	500	5,000	32
24W / 5pt	35x23	<b>09402</b>	103	Sheet		1,000	18

**Key** FSC<sup>®</sup> – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# royal cotton<sup>®</sup> papers 25% cotton

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
-------------------	------	--------	------	-----------------	---------------	--------------	-----------------

## Bright White (96 Brightness) FSC<sup>®</sup>

FSC Mix, 25% Cotton, 30% Minimum Post-Consumer Recycled Fibers

Light Cockle

20W / 4.7pt	8.5x11	<b>29496</b>	10	Sheet	500	4,000	40
24W / 5.6pt	8.5x11	<b>29696</b>	12	Sheet	500	4,000	32
24W / 5.6pt	35x22.5	<b>29699</b>	101	Sheet		1,000	16

## Bright White (96 Brightness) FSC<sup>®</sup>

FSC Mix, 25% Cotton, 30% Minimum Post-Consumer Recycled Fibers





Smooth

24W / 5pt	8.5x11	<b>29682</b>	12	Sheet	500	4,000	40
24W / 5pt	35x22.5	<b>29683</b>	101	Sheet		1,500	12

Key **FSC<sup>®</sup>** – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked





# atlas<sup>®</sup> bond envelopes 25% cotton

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
<b>Ultra Bright White (96 Brightness)</b>  				
25% Cotton, 30% Minimum Post-Consumer Recycled Fibers				
Imaging				
24W	#10 Commercial	6661400	500	2,500
24W	#10 Square	7002800	500	2,500
24W	#10 peel and seal	7022300	500	2,500
24W	#10 Poly Window	7046700	500	2,500
24W	#10 Commercial Canadian Window	8000805	500	2,500
24W	#10 Policy	7067800	500	2,500
24W	#9 Commercial	1038900	500	2,500
24W	#6 3/4	2401100	500	2,500
24W	DL International	8000800	150	600
24W	Monarch	4418300	500	2,500
24W	A1	7127200	250	2,500
24W	A2	7150300	250	1,000
24W	A6	7174200	250	1,000
24W	A7	7200100	250	1,000
24W	A8	7224100	250	1,000
24W	A9	7252500	250	1,000
24W	A10	7310900	250	1,000
24W	4 Baronial	8000801	250	2,500
24W	5 1/2 Baronial	8000802	250	2,500
24W	6 Baronial	8000803	250	2,500
24W	Lee	8000804	250	2,500
24W	5 x 5	8000807	250	1,000
24W	5 1/2 x 5 1/2	8000806	250	1,000
24W	6 x 6	8000809	250	1,000
24W	6 1/2 x 6 1/2	8000808	250	1,000
24W	7 x 7	8000811	250	1,000
24W	7 1/2 x 7 1/2	8000810	250	1,000
24W	8 x 8	8000813	250	1,000
24W	8 1/2 x 8 1/2	8000812	250	1,000
24W	9 x 12 Booklet	7602000	500	500
24W	9 x 12 Catalog	7627600	500	500
24W	10 x 13 Booklet	7652900	500	500
24W	10 x 13 Catalog	7712800	500	500
<b>Ultra Bright White (96 Brightness)</b>  				
25% Cotton, 30% Minimum Post-Consumer Recycled Fibers				
Light Cockle				
24W	#10 Commercial	4929200	500	2,500
24W	#10 Square	7003000	500	2,500
24W	#10 peel and seal	7022500	500	2,500
24W	#10 Poly Window	5656600	500	2,500

Key **FSC**<sup>®</sup> – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# atlas<sup>®</sup> bond envelopes 25% cotton





Basis	Product Type	Item #	Env/ Box	Env/ Ctn
<b>Ultra Bright White (96 Brightness)</b>  				
25% Cotton, 30% Minimum Post-Consumer Recycled Fibers				
Light Cockle				
24W	#10 Commercial Canadian Window	<b>8000818</b>	500	2,500
24W	#10 Policy	<b>7068000</b>	500	2,500
24W	#9 Commercial	<b>0812900</b>	500	2,500
24W	#6 3/4	<b>7595700</b>	500	2,500
24W	DL International	<b>7793000</b>	150	600
24W	Monarch	<b>8884400</b>	500	2,500
24W	A1	<b>7127400</b>	250	2,500
24W	A2	<b>7150500</b>	250	1,000
24W	A6	<b>7174400</b>	250	1,000
24W	A7	<b>7200300</b>	250	1,000
24W	A8	<b>7224300</b>	250	1,000
24W	A9	<b>7252700</b>	250	1,000
24W	A10	<b>7311200</b>	250	1,000
24W	4 Baronial	<b>8000814</b>	250	2,500
24W	5 1/2 Baronial	<b>8000815</b>	250	2,500
24W	6 Baronial	<b>8000816</b>	250	2,500
24W	Lee	<b>8000817</b>	250	2,500
24W	5 x 5	<b>8000820</b>	250	1,000
24W	5 1/2 x 5 1/2	<b>8000819</b>	250	1,000
24W	6 x 6	<b>8000822</b>	250	1,000
24W	6 1/2 x 6 1/2	<b>8000821</b>	250	1,000
24W	7 x 7	<b>8000824</b>	250	1,000
24W	7 1/2 x 7 1/2	<b>8000823</b>	250	1,000
24W	8 x 8	<b>8000826</b>	250	1,000
24W	8 1/2 x 8 1/2	<b>8000825</b>	250	1,000
24W	9 x 12 Booklet	<b>7602200</b>	500	500
24W	9 x 12 Catalog	<b>7627800</b>	500	500
24W	10 x 13 Booklet	<b>7653100</b>	500	500
24W	10 x 13 Catalog	<b>7713000</b>	500	500

Key **FSC**<sup>®</sup> – FSC<sup>®</sup> Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked







# capitol bond® envelopes 25% cotton

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
<b>Bright White (96 Brightness)</b>  				
25% Cotton, 30% Minimum Post-Consumer Recycled Fibers				
Light Cockle				
24W	#10 Commercial	5248500	500	2,500
24W	#10 Square	7003200	500	2,500
24W	#10 peel and seal	7022600	500	2,500
24W	#10 Poly Window	5673100	500	2,500
24W	#10 Commercial Canadian Window	8000854	500	2,500
24W	#10 Policy	7068100	500	2,500
24W	#9 Commercial	5247300	500	2,500
24W	#6 3/4	5245300	500	2,500
24W	DL International	8000849	150	600
24W	Monarch	5246200	500	2,500
24W	A1	7127500	250	2,500
24W	A2	7150600	250	1,000
24W	A6	7174500	250	1,000
24W	A7	7200400	250	1,000
24W	A8	7224400	250	1,000
24W	A9	7252800	250	1,000
24W	A10	7311300	250	1,000
24W	4 Baronial	8000850	250	2,500
24W	5 1/2 Baronial	8000851	250	2,500
24W	6 Baronial	8000852	250	2,500
24W	Lee	8000853	250	2,500
24W	5 x 5	8000856	250	1,000
24W	5 1/2 x 5 1/2	8000855	250	1,000
24W	6 x 6	8000858	250	1,000
24W	6 1/2 x 6 1/2	8000857	250	1,000
24W	7 x 7	8000860	250	1,000
24W	7 1/2 x 7 1/2	8000859	250	1,000
24W	8 x 8	8000862	250	1,000
24W	8 1/2 x 8 1/2	8000861	250	1,000
24W	9 x 12 Booklet	7602300	500	500
24W	9 x 12 Catalog	7627900	500	500
24W	10 x 13 Booklet	7653200	500	500
24W	10 x 13 Catalog	7713100	500	500
<b>Bright White (96 Brightness)</b>  				
25% Cotton, 30% Minimum Post-Consumer Recycled Fibers				
Perfect Laser				
24W	#10 Commercial	5248800	500	2,500
24W	#10 Square	7003600	500	2,500
24W	#10 peel and seal	7022900	500	2,500
24W	#10 Poly Window	7047000	500	2,500

Key **FSC**® – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# capitol bond® envelopes 25% cotton

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
<b>Bright White (96 Brightness)</b>  				
25% Cotton, 30% Minimum Post-Consumer Recycled Fibers Perfect Laser				
24W	#10 Commercial Canadian Window	8000882	500	2,500
24W	#10 Policy	7068500	500	2,500
24W	#9 Commercial	7000500	500	2,500
24W	#6 3/4	5249300	500	2,500
24W	DL International	8000877	150	600
24W	Monarch	5249100	500	2,500
24W	A1	7127900	250	2,500
24W	A2	7151000	250	1,000
24W	A6	7174900	250	1,000
24W	A7	7200900	250	1,000
24W	A8	7224800	250	1,000
24W	A9	7253200	250	1,000
24W	A10	7311700	250	1,000
24W	4 Baronial	8000878	250	2,500
24W	5 1/2 Baronial	8000879	250	2,500
24W	6 Baronial	8000880	250	2,500
24W	Lee	8000881	250	2,500
24W	5 x 5	8000884	250	1,000
24W	5 1/2 x 5 1/2	8000883	250	1,000
24W	6 x 6	8000886	250	1,000
24W	6 1/2 x 6 1/2	8000885	250	1,000
24W	7 x 7	8000888	250	1,000
24W	7 1/2 x 7 1/2	8000887	250	1,000
24W	8 x 8	8000890	250	1,000
24W	8 1/2 x 8 1/2	8000889	250	1,000
24W	9 x 12 Booklet	7602700	500	500
24W	9 x 12 Catalog	7628300	500	500
24W	10 x 13 Booklet	7653600	500	500
24W	10 x 13 Catalog	7713500	500	500
<b>White (91 Brightness)</b>				
25% Cotton Light Cockle				
20W	#10 Commercial	0087700	500	2,500
20W	#10 Square	7003300	500	2,500
20W	#10 peel and seal	7022700	500	2,500
20W	#10 Poly Window	7046800	500	2,500
20W	#10 Commercial Canadian Window	8000896	500	2,500
20W	#10 Policy	7068200	500	2,500
20W	#9 Commercial	3352900	500	2,500
20W	#6 3/4	7250400	500	2,500
20W	DL International	8000891	150	600

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# capitol bond® envelopes 25% cotton

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
<b>White (91 Brightness)</b>				
25% Cotton				
Light Cockle				
20W	Monarch	4733200	500	2,500
20W	A1	7127600	250	2,500
20W	A2	7150700	250	1,000
20W	A6	7174600	250	1,000
20W	A7	7200600	250	1,000
20W	A8	7224500	250	1,000
20W	A9	7252900	250	1,000
20W	A10	7311400	250	1,000
20W	4 Baronial	8000892	250	2,500
20W	5 1/2 Baronial	8000893	250	2,500
20W	6 Baronial	8000894	250	2,500
20W	Lee	8000895	250	2,500
20W	5 x 5	8000898	250	1,000
20W	5 1/2 x 5 1/2	8000897	250	1,000
20W	6 x 6	8000900	250	1,000
20W	6 1/2 x 6 1/2	8000899	250	1,000
20W	7 x 7	8000902	250	1,000
20W	7 1/2 x 7 1/2	8000901	250	1,000
20W	8 x 8	8000904	250	1,000
20W	8 1/2 x 8 1/2	8000903	250	1,000
20W	9 x 12 Booklet	7602400	500	500
20W	9 x 12 Catalog	7628000	500	500
20W	10 x 13 Booklet	7653300	500	500
20W	10 x 13 Catalog	7713200	500	500
24W	#10 Commercial	0088500	500	2,500
24W	#10 Square	7003400	500	2,500
24W	#10 peel and seal	7486300	500	2,500
24W	#10 Poly Window	9404300	500	2,500
24W	#10 Commercial Canadian Window	8000910	500	2,500
24W	#10 Policy	7068300	500	2,500
24W	#9 Commercial	1880400	500	2,500
24W	#6 3/4	1568500	500	2,500
24W	DL International	8000905	150	600
24W	Monarch	7252000	500	2,500
24W	A1	7127700	250	2,500
24W	A2	7150800	250	1,000
24W	A6	7174700	250	1,000
24W	A7	7200700	250	1,000
24W	A8	7224600	250	1,000
24W	A9	7253000	250	1,000
24W	A10	7311500	250	1,000

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# capitol bond® envelopes 25% cotton

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
<b>White (91 Brightness)</b>				
25% Cotton				
Light Cockle				
24W	4 Baronial	8000906	250	2,500
24W	5 1/2 Baronial	8000907	250	2,500
24W	6 Baronial	8000908	250	2,500
24W	Lee	8000909	250	2,500
24W	5 x 5	8000912	250	1,000
24W	5 1/2 x 5 1/2	8000911	250	1,000
24W	6 x 6	8000914	250	1,000
24W	6 1/2 x 6 1/2	8000913	250	1,000
24W	7 x 7	8000916	250	1,000
24W	7 1/2 x 7 1/2	8000915	250	1,000
24W	8 x 8	8000918	250	1,000
24W	8 1/2 x 8 1/2	8000917	250	1,000
24W	9 x 12 Booklet	7602500	500	500
24W	9 x 12 Catalog	7628100	500	500
24W	10 x 13 Booklet	7653400	500	500
24W	10 x 13 Catalog	7713300	500	500
<b>White (91 Brightness)</b>				
25% Cotton				
Perfect Laser				
24W	#10 Commercial	2264700	500	2,500
24W	#10 Square	7003800	500	2,500
24W	#10 peel and seal	7023100	500	2,500
24W	#10 Poly Window	7047300	500	2,500
24W	#10 Commercial Canadian Window	8000938	500	2,500
24W	#10 Policy	7068700	500	2,500
24W	#9 Commercial	7000800	500	2,500
24W	#6 3/4	2260500	500	2,500
24W	DL International	8000933	150	600
24W	Monarch	2262100	500	2,500
24W	A1	7128100	250	2,500
24W	A2	7151200	250	1,000
24W	A6	7175100	250	1,000
24W	A7	7201100	250	1,000
24W	A8	7225100	250	1,000
24W	A9	7253400	250	1,000
24W	A10	7312000	250	1,000
24W	4 Baronial	8000934	250	2,500
24W	5 1/2 Baronial	8000935	250	2,500
24W	6 Baronial	8000936	250	2,500
24W	Lee	8000937	250	2,500
24W	5 x 5	8000940	250	1,000

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# capitol bond® envelopes 25% cotton

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
<b>White (91 Brightness)</b>				
25% Cotton				
Perfect Laser				
24W	5 1/2 x 5 1/2	<b>8000939</b>	250	1,000
24W	6 x 6	<b>8000942</b>	250	1,000
24W	6 1/2 x 6 1/2	<b>8000941</b>	250	1,000
24W	7 x 7	<b>8000944</b>	250	1,000
24W	7 1/2 x 7 1/2	<b>8000943</b>	250	1,000
24W	8 x 8	<b>8000946</b>	250	1,000
24W	8 1/2 x 8 1/2	<b>8000945</b>	250	1,000
24W	9 x 12 Booklet	<b>7602900</b>	500	500
24W	9 x 12 Catalog	<b>7628500</b>	500	500
24W	10 x 13 Booklet	<b>7653800</b>	500	500
24W	10 x 13 Catalog	<b>7713700</b>	500	500

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked







# classic cotton® envelopes 25% cotton

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
<b>Solar White (97 Brightness)</b>				
25% Cotton				
Wove				
24W	#10 Commercial	9662500	500	2,500
24W	#10 Square	9589500	500	2,500
24W	#10 peel and seal	7031000	500	2,500
24W	#10 Poly Window	1762200	500	2,500
24W	#10 Commercial Canadian Window	8001274	500	2,500
24W	#10 Policy	7077200	500	2,500
24W	#9 Commercial	4958700	500	2,500
24W	#6 3/4	9662900	500	2,500
24W	DL International	8001269	150	600
24W	Monarch	9662700	500	2,500
24W	A1	7136100	250	2,500
24W	A2	7159600	250	1,000
24W	A6	7184000	250	1,000
24W	A7	7209800	250	1,000
24W	A8	7233800	250	1,000
24W	A9	7261800	250	1,000
24W	A10	7321300	250	1,000
24W	4 Baronial	8001270	250	2,500
24W	5 1/2 Baronial	8001271	250	2,500
24W	6 Baronial	8001272	250	2,500
24W	Lee	8001273	250	2,500
24W	5 x 5	8001275	250	1,000
24W	5 1/2 x 5 1/2	7785100	250	1,000
24W	6 x 6	8001277	250	1,000
24W	6 1/2 x 6 1/2	8001276	250	1,000
24W	7 x 7	8001279	250	1,000
24W	7 1/2 x 7 1/2	8001278	250	1,000
24W	8 x 8	8001281	250	1,000
24W	8 1/2 x 8 1/2	8001280	250	1,000
24W	9 x 12 Booklet	7611800	500	500
24W	9 x 12 Catalog	7637000	500	500
24W	10 x 13 Booklet	7671400	500	500
24W	10 x 13 Catalog	7731600	500	500

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# royal cotton® envelopes 25% cotton

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
<b>Bright White (96 Brightness)  FSC® </b>				
FSC Mix, 25% Cotton, 30% Minimum Post-Consumer Recycled Fibers				
Light Cockle				
24W	#10 Commercial	<b>0422100</b>	500	2,500
24W	#10 Square	<b>7018300</b>	500	2,500
24W	#10 peel and seal	<b>7042900</b>	500	2,500
24W	#10 Poly Window	<b>7064100</b>	500	2,500
24W	#10 Commercial Canadian Window	<b>8006287</b>	500	2,500
24W	#10 Policy	<b>7089700</b>	500	2,500
24W	#9 Commercial	<b>0422000</b>	500	2,500
24W	#6 3/4	<b>0421700</b>	500	2,500
24W	DL International	<b>8006282</b>	150	600
24W	Monarch	<b>0421900</b>	500	2,500
24W	A1	<b>7146800</b>	250	2,500
24W	A2	<b>7170700</b>	250	1,000
24W	A6	<b>7196600</b>	250	1,000
24W	A7	<b>7220600</b>	250	1,000
24W	A8	<b>7248500</b>	250	1,000
24W	A9	<b>7275300</b>	250	1,000
24W	A10	<b>7335500</b>	250	1,000
24W	4 Baronial	<b>8006283</b>	250	2,500
24W	5 1/2 Baronial	<b>8006284</b>	250	2,500
24W	6 Baronial	<b>8006285</b>	250	2,500
24W	Lee	<b>8006286</b>	250	2,500
24W	5 x 5	<b>8006289</b>	250	1,000
24W	5 1/2 x 5 1/2	<b>8006288</b>	250	1,000
24W	6 x 6	<b>8006291</b>	250	1,000
24W	6 1/2 x 6 1/2	<b>8006290</b>	250	1,000
24W	7 x 7	<b>8006293</b>	250	1,000
24W	7 1/2 x 7 1/2	<b>8006292</b>	250	1,000
24W	8 x 8	<b>8006295</b>	250	1,000
24W	8 1/2 x 8 1/2	<b>8006294</b>	250	1,000
24W	9 x 12 Booklet	<b>7624000</b>	500	500
24W	9 x 12 Catalog	<b>7649300</b>	500	500
24W	10 x 13 Booklet	<b>7702900</b>	500	500
24W	10 x 13 Catalog	<b>7760900</b>	500	500
<b>Bright White (96 Brightness)  FSC® </b>				
FSC Mix, 25% Cotton, 30% Minimum Post-Consumer Recycled Fibers				
Smooth				
24W	#10 Commercial	<b>0422900</b>	500	2,500
24W	#10 Square	<b>7018500</b>	500	2,500
24W	#10 peel and seal	<b>7043200</b>	500	2,500
24W	#10 Poly Window	<b>7064300</b>	500	2,500

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked



# royal cotton® envelopes 25% cotton

Basis	Product Type	Item #	Env/ Box	Env/ Ctn
<b>Bright White (96 Brightness) ⊕ FSC®</b>				
FSC Mix, 25% Cotton, 30% Minimum Post-Consumer Recycled Fibers Smooth				
24W	#10 Commercial Canadian Window	<b>8006334</b>	500	2,500
24W	#10 Policy	<b>7089900</b>	500	2,500
24W	#9 Commercial	<b>0422800</b>	500	2,500
24W	#6 3/4	<b>0422600</b>	500	2,500
24W	DL International	<b>8006329</b>	150	600
24W	Monarch	<b>0422700</b>	500	2,500
24W	A1	<b>7147000</b>	250	2,500
24W	A2	<b>7170900</b>	250	1,000
24W	A6	<b>7196800</b>	250	1,000
24W	A7	<b>7220800</b>	250	1,000
24W	A8	<b>7248700</b>	250	1,000
24W	A9	<b>7275500</b>	250	1,000
24W	A10	<b>7335700</b>	250	1,000
24W	4 Baronial	<b>8006330</b>	250	2,500
24W	5 1/2 Baronial	<b>8006331</b>	250	2,500
24W	6 Baronial	<b>8006332</b>	250	2,500
24W	Lee	<b>8006333</b>	250	2,500
24W	5 x 5	<b>8006336</b>	250	1,000
24W	5 1/2 x 5 1/2	<b>8006335</b>	250	1,000
24W	6 x 6	<b>8006338</b>	250	1,000
24W	6 1/2 x 6 1/2	<b>8006337</b>	250	1,000
24W	7 x 7	<b>8006340</b>	250	1,000
24W	7 1/2 x 7 1/2	<b>8006339</b>	250	1,000
24W	8 x 8	<b>8006342</b>	250	1,000
24W	8 1/2 x 8 1/2	<b>8006341</b>	250	1,000
24W	9 x 12 Booklet	<b>7624200</b>	500	500
24W	9 x 12 Catalog	<b>7649500</b>	500	500
24W	10 x 13 Booklet	<b>7703100</b>	500	500
24W	10 x 13 Catalog	<b>7761100</b>	500	500

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free  
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed  
**WS** – Wet Strength **BR** – Vellum Bristol **IND** – Index \* – Unwatermarked

