

N label papers

Features

Benefits

BELLA® Label Papers

Engineered specifically to meet the challenges of label printing applications. Proven performance

Manufactured with wet strength additive.

Increases resistance to tearing or shriveling in moist environments.

FSC® Certified

Meets the mark of responsible forestry.

Manufactured acid free with archival properties.

Permanence

CLASSIC® Label Papers

Premium look and feel of our CLASSIC® Brand family.

Cohesive look for label packaging identity and promotional material.

Specially manufactured for high speed bottling and packaging lines. Proven performance

Easily accepts lithography, die-cutting, embossing, and foil stamping

Maximize your creative options.

FSC® Certified

Meets the mark of responsible forestry.

Green Seal™ Certified
• Recycled Solar White

Manufactured with a minimum of 30% post consumer fiber and meets federal procurement guidelines.

Manufactured acid free with archival properties.

Permanence

ESTATE LABEL® Papers

Manufactured with wet strength additive

Increases resistance to tearing or shriveling in moist environments.

Specially manufactured for high speed bottling and packaging lines

Proven performance for over 40 years with premium look and feel.

FSC® Certified

Meets the mark of responsible forestry.

No. 8 Bright White and No. 14 PC100 Bright White features Special Surface Treatment (SST).

Unmatched print performance with excellent press registration to maximize your creative options.

Easily accepts lithography, die-cutting, embossing, and foil stamping.

Maximize your creative options.

Offered in five popular textures.

Wide variety to carry targeted brand stories.

Digital Pressure Sensitive wet strength label options.

Ready for quick turn digital label applications.

100% Post Consumer Fiber selections.

Environmentally responsible meeting the needs of the eco-conscious consumer.

Manufactured acid free with archival properties

Permanence

N label papers

Paper Specifications - BELLA® Label Papers

Finish	Basis lbs.	Basis g/m ²	Opacity	Caliper	Smoothness
Burlap	55T	81	90	4.5	N/A
Laid	47T	70	88	3.7	N/A
	55T	81	90	4.3	N/A
	60T	89	90	4.7	N/A
Vellum	60T	89	90	4.8	240

Paper Specifications - CLASSIC CREST® Label Papers

Finish	Basis lbs.	Basis g/m ²	Opacity	Caliper	Smoothness
Felt	60T	89	91	4.9	N/A
Smooth	60T	89	91	4.3	125

Paper Specifications - CLASSIC® Laid Label Papers

Finish	Basis lbs.	Basis g/m ²	Opacity	Caliper	Smoothness
Laid	60T	89	91	5.3	N/A

Paper Specifications - CLASSIC® Linen Label Papers

Finish	Basis lbs.	Basis g/m ²	Opacity	Caliper	Smoothness
Linen	60T	89	91	5	N/A

Paper Specifications - ESTATE LABEL® Papers

Finish	Basis lbs.	Basis g/m ²	Opacity	Caliper	Smoothness
C1S Smooth	64T	95	93	4.8	N/A
Felt	60T	89	91	4.9	N/A
Laid	60T	89	91	5.5	N/A
Martele	60T	89	93	4.7	N/A
Smooth	60T	89	90	4.4	125
	60T	89	94	4.2	140
	60T	89	92	4.5	125
Vellum	60T	89	93	4.8	240
	60T	89	99	4.8	240
	60T	89	95	4.8	240

Paper Specifications - ESTATE LABEL® Pressure Sensitive Digital

Finish	Basis lbs.	Basis g/m ²	Opacity	Caliper	Smoothness
Laid Digital	60T	89	91	10.2	N/A
Vellum Digital	60T	89	93	9.7	240

- Opacity specifications are for whites and near whites.
- Caliper values are approximate as grades run to basis weight and finish.
- Smoothness is in Sheffield units.

Special Make Minimums

Standard Minimums

COLOR	BASIS WEIGHT (Standard Colors)	SIZE
15,000 lbs.	10,000 lbs.	5,000 lbs.

- * Special colors are subject to inquiry and mill acceptance.
- * Laminated sheets using standard basis weights and colors require 10,000 lbs total minimum with a \$30.00 per cwt upcharge.








bella[®] label papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
Natural fsc[®]							
FSC Mix Burlap							
55T / 4.5pt	25x38	9107^{WS}	110	Sheet		1,000	18
Natural fsc[®]							
FSC Mix Laid							
47T / 3.7pt	25x38	9113^{WS}	94	Sheet		1,000	18
55T / 4.3pt	25x38	9115^{WS}	110	Sheet		1,000	18
60T / 4.7pt	25x38	9105^{WS}	120	Sheet		1,000	18
Natural fsc[®]							
FSC Mix Vellum							
60T / 4.8pt	25x38	9104^{WS}	120	Sheet		1,000	18
White (90 Brightness)FSC[®]							
FSC Mix Burlap							
55T / 4.5pt	25x38	9106^{WS}	110	Sheet		1,000	18
White (90 Brightness)FSC[®]							
FSC Mix Laid							
47T / 3.7pt	25x38	9112^{WS}	94	Sheet		1,000	18
55T / 4.3pt	25x38	9114^{WS}	110	Sheet		1,000	18
60T / 4.7pt	25x38	9102^{WS}	120	Sheet		1,000	18
White (90 Brightness)FSC[®]							
FSC Mix Vellum							
60T / 4.8pt	25x38	9101^{WS}	120	Sheet		1,000	18

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked




classic crest[®] label papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
Classic Natural White FSC [®] 							
FSC Mix Felt							
60T / 4.9pt	25x38	01859	120	Sheet		1,000	18
Classic Natural White FSC [®] 							
FSC Mix Smooth							
60T / 4.3pt	25x38	01853	120	Sheet		1,000	18
Recycled Solar White (91 Brightness)  FSC [®]  							
FSC Mix, 30% Minimum Post-Consumer Recycled Fibers Smooth							
60T / 4.3pt	25x38	02051 ^{WS}	120	Sheet		1,000	16
Solar White (97 Brightness) FSC [®] 							
FSC Mix Felt							
60T / 4.9pt	25x38	01858	120	Sheet		1,000	18
Solar White (97 Brightness) FSC [®] 							
FSC Mix Smooth							
60T / 4.3pt	19x25	01846	60	Sheet		1,500	14
60T / 4.3pt	23x35	01850	102	Sheet		1,000	18
60T / 4.3pt	25x38	01851	120	Sheet		1,000	18

Key FSC[®] – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked




classic[®] laid label papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
Solar White (97 Brightness) FSC[®] 							
FSC Mix Laid							
60T / 5.3pt	25x38	01862	120	Sheet		1,000	18

Key FSC[®] – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked





classic[®] linen label papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
Solar White (97 Brightness) FSC[®] 							
FSC Mix Linen							
60T / 5pt	25x38	01860	120	Sheet		1,000	18

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



estate label[®] papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
No. 1 - Ultra White (91 Brightness) FSC[®]							
FSC Mix Smooth							
60T / 4.4pt	25x38	9010 ^{WS}	120	Sheet		1,000	16
No. 2 - Natural FSC[®]							
FSC Mix Smooth							
60T / 4.5pt	25x38	9003RC ^{WS}	120	Sheet		1,000	16
No. 3 - Ultra White (91 Brightness) FSC[®]							
FSC Mix Felt							
60T / 4.9pt	25x38	9011 ^{WS}	120	Sheet		1,000	18
No. 4 - White (85 Brightness) FSC[®]							
FSC Mix Laid							
60T / 5.5pt	25x38	9005RC ^{WS}	120	Sheet		1,000	16
No. 6 - White Pearlized FSC[®]							
FSC Mix C1S Smooth							
64T / 4.8pt	25x38	9013 ^{WS}	128	Sheet		1,000	14
No. 7 - Kraft FSC[®]							
FSC Mix Vellum							
60T / 4.8pt	25x38	9014 ^{WS}	120	Sheet		1,000	16
No. 8 - Bright White (89 Brightness) FSC[®]							
FSC Mix Vellum							
60T / 4.8pt	25x38	9007RC ^{WS}	120	Sheet		1,000	16
No. 9 - Cream FSC[®]							
FSC Mix Laid							
60T / 5.5pt	25x38	9009RC ^{WS}	120	Sheet		1,000	16
No. 12 - PC100 White (87 Brightness)  FSC[®] PCF							
FSC Recycled, 100% Post-Consumer Recycled Fibers Vellum							
60T / 4.8pt	25x38	9016 ^{WS}	120	Sheet		1,000	16
No. 14 - PC100 Bright White (90 Brightness)  FSC[®] PCF							
FSC Recycled, 100% Post-Consumer Recycled Fibers Smooth							
60T / 4.2pt	25x38	9023 ^{WS}	120	Sheet		1,000	16
No. 16 - White (89 Brightness) FSC[®]							
FSC Mix Martele							
60T / 4.7pt	25x38	9017 ^{WS}	120	Sheet		1,000	16

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



estate label[®] papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
No. 17 - Titanium White (95 Brightness)FSC[®]							
FSC Mix Martele							
60T / 4.7pt	25x38	9018 ^{WS}	120	Sheet		1,000	16
No. 18 - Titanium White (95 Brightness)FSC[®]							
FSC Mix Vellum							
60T / 4.8pt	25x38	9021 ^{WS}	120	Sheet		1,000	16
No. 19 - Titanium White (95 Brightness)FSC[®]							
FSC Mix Laid							
60T / 5.5pt	25x38	9020 ^{WS}	120	Sheet		1,000	16
No. 25 - Black FSC[®]							
FSC Mix Vellum							
60T / 4.8pt	25x38	9022 ^{WS}	120	Sheet		1,000	16

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked



estate label[®] pressure sensitive digital

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
No. 4 - White (85 Brightness) FSC[®]							
FSC Mix Laid Digital							
60T / 10.2pt	12x18	80989 ^{WS}	69.64	Sheet	100	500	32
No. 8 - Bright White (89 Brightness) FSC[®]							
FSC Mix Vellum Digital							
60T / 9.7pt	12x18	80988 ^{WS}	69.64	Sheet	100	500	32
No. 9 - Cream FSC[®]							
FSC Mix Laid Digital							
60T / 10.2pt	12x18	80990 ^{WS}	69.64	Sheet	100	500	32

Key **FSC[®]** – FSC[®] Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked

