

N touché® papers

TOUCHÉ® Papers can be found in The Design Collection which features iconic Neenah brands.

Features

Benefits

Unique soft, matte finish.

Offers understated elegance and sophistication.

Beautiful Colors

From Bright White to Black with a rich color palette in between, there is a color for all your communication needs.

Two weights to choose from

13 pt. (111C/300 g/m²) for most every application & 24pt. (200C/541 g/m²) when a stiffer sheet is desired.

Accepts offset lithography and specialty printing applications beautifully.

Rest assured your every print application will perform flawlessly.

FSC® Certified

Meets the mark of responsible forestry.

N touché® papers

Paper Specifications - TOUCHÉ® Papers

Finish	Basis lbs.	Basis g/m ²	Opacity	Caliper	Smoothness
Soft Touch	111C	300	98	13	N/A
	200C	541	99	24	N/A

- Opacity specifications are for whites and near whites.
- Caliper values are approximate as grades run to basis weight and finish.
- Smoothness is in Sheffield units.

Special Make Minimums

Standard Minimums

COLOR	BASIS WEIGHT (Standard Colors)	SIZE
15,000 lbs.	20,000 lbs.	5,000 lbs.

- * Special colors are subject to inquiry and mill acceptance.
- * Laminated sheets using standard basis weights and colors require 5,000 lbs total minimum with a \$20.00 per cwt upcharge.
- * If special base stock is required, there will be a 20,000 lbs. minimum for special colors. Contact your Neenah Customer Service Representative for assistance.

touché® papers

Basis/ Caliper	Size	Item #	M wt	Product Type	Shts/ Pack	Shts/ Ctn	Ctns/ Pallet
Black FSC®							
FSC Mix Soft Touch							
111C / 13pt	26x40	3304940	444	Sheet		200	24
200C / 24pt	26x40	3305010	800	Sheet		100	12
Bright White (91 Brightness)FSC®							
FSC Mix Soft Touch							
111C / 13pt	26x40	3304027	444	Sheet		200	24
Burgundy FSC®							
FSC Mix Soft Touch							
111C / 13pt	26x40	3304540	444	Sheet		200	24
Concord FSC®							
FSC Mix Soft Touch							
111C / 13pt	26x40	3300151	444	Sheet		200	24
Lapis fsc®							
FSC Mix Soft Touch							
111C / 13pt	26x40	3301240	444	Sheet		200	24
Mink fsc®							
FSC Mix Soft Touch							
111C / 13pt	26x40	3302140	444	Sheet		200	24
Pewter fsc®							
FSC Mix Soft Touch							
111C / 13pt	26x40	3301940	444	Sheet		200	24
Scarlet fsc®							
FSC Mix Soft Touch							
111C / 13pt	26x40	3301740	444	Sheet		200	24
Slate Blue fsc®							
FSC Mix Soft Touch							
111C / 13pt	26x40	3304140	444	Sheet		200	24
White (85 Brightness)FSC®							
FSC Mix Soft Touch							
111C / 13pt	26x40	3300140	444	Sheet		200	24
200C / 24pt	26x40	3305020	800	Sheet		100	12

Key **FSC®** – FSC® Certified  – Renewable Electricity  – Green Seal Certified **PCF** – Processed Chlorine Free
 – Minimum 30% Post Consumer **DC** – Duplex Cover **DTC** – Double Thick Cover **SP** – Skid Packed
WS – Wet Strength **BR** – Vellum Bristol **IND** – Index * – Unwatermarked

